

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

IN RE THE APPLICATION OF	)
Armin Heinz Hayn	) Examiner: Lam S. Nguyen
PATENT NO.: 6,781,124	) Group Art Unit: 2853
ISSUED: August 24, 2004	) Customer Number: 23644
FOR: Improvements In Or Relating To	)
Particle Detectors	)

**FOURTH REQUEST FOR CERTIFICATE OF CORRECTION**

Honorable Director of Patents and Trademarks  
P.O. Box 1450  
Alexandria, VA 22313-1450


Dear Sir:

Appended hereto are copies of previous requests for a Certificate of Correction for this patent. To date, no action of any kind has been taken by the Patent and Trademark Office and the third request was received by the Patent and Trademark Office on August 24, 2006.

It is requested that the Patent and Trademark Office properly issue the Certificate of Correction without delay.

April 24, 2007

Respectfully submitted,

  
William M. Lee, Jr.  
Registration No. 26,935  
Barnes & Thornburg  
P.O. Box 2786  
Chicago, Illinois 60690-2786  
(312) 214-4800  
(312) 759-5646 (Fax)

**Acknowledgement Receipt**

The USPTO has received your submission at **11:05:32** Eastern Time on **24-AUG-2006**.

No fees have been paid for this submission. Please remember to pay any required fees on time to prevent abandonment of your application.

**Filed Application Information**

EFS ID	1169600
Application Number	09927608
Confirmation Number	8212
Title	PARTICLE DETECTORS
First Named Inventor	Armin Heinz Hayn
Customer Number or Correspondence Address	BARNES & THORNBURG P.O. Box 2786 Chicago IL 60690-2786 US
Filed By	William M. Lee/Minnie Wilson
Attorney Docket Number	602-1535
Filing Date	10-AUG-2001
Receipt Date	24-AUG-2006
Application Type	Utility

**Application Details**

Submitted Files	Page Count	Document Description	File Size	Warnings
906656request.pdf	9	Request for Certificate of Correction	265224 bytes	◆ PASS

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EQ/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

*If you need help:*

- *Call the Patent Electronic Business Center at (866) 217-9197 (toll free) or e-mail [EBC@uspto.gov](mailto:EBC@uspto.gov) for specific questions about Patent e-Filing.*
- *Send general questions about USPTO programs to the USPTO Contact Center (UCC).*
- *If you experience technical difficulties or problems with this application, please report them via e-mail to [Electronic Business Support](mailto:ElectronicBusinessSupport@uspto.gov) or call 1 800-786-9199.*

920602-906656

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

IN RE THE APPLICATION OF	)	
	)	
Armin Heinz Hayn	)	Examiner: Lam S. Nguyen
	)	
PATENT NO.: 6,781,124	)	Group Art Unit: 2853
	)	
ISSUED: August 24, 2004	)	Customer Number: 23644
	)	
FOR: Improvements In Or Relating To	)	
Particle Detectors	)	

**THIRD REQUEST FOR CERTIFICATE OF CORRECTION**

Honorable Director of Patents and Trademarks  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:


Appended hereto is a copy of a Request for Certificate of Correction that was originally filed with the Patent and Trademark Office in June, 2005 (and duly acknowledged). In July, 2005, the undersigned sent to Mr. Young a fax copy of the Certificate of Correction and Amended Claims, yet no action was taken.

A Second Request for the Certificate of Correction was submitted to the Patent and Trademark Office on March 22, 2006. Still no action has been taken.

It is requested that the Patent and Trademark Office issue the Certificate of Correction without any further delay.

August 23, 2006

Respectfully submitted,

A handwritten signature in black ink, appearing to read "William M. Lee, Jr.", is written over a horizontal line. The signature is stylized with a large, looped "L" and a prominent "Jr." at the end.

William M. Lee, Jr.  
Registration No. 26,935  
Barnes & Thornburg  
P.O. Box 2786  
Chicago, Illinois 60690-2786  
(312) 214-4800  
(312) 759-5646 (Fax)

920602-906656

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

IN RE THE APPLICATION OF

Armin Heinz Hayn

PATENT NO.: 6,781,124

ISSUED: August 24, 2004

FOR: Improvements In Or Relating To  
Particle Detectors

)  
)  
) Examiner: Lam S. Nguyen  
)  
) Group Art Unit: 2853  
)  
) Customer Number: 23644  
)  
)

I hereby certify that this correspondence is being deposited with  
the United States Postal Service as first class mail in an envelope  
addressed to "Commissioner for Patents, P.O. Box 1450,  
Alexandria, VA 22313-1450," on June 17, 2005.  
Name of person signing Minnie Wilson  
Signature Minnie Wilson

**REQUEST FOR CERTIFICATE OF CORRECTION**

Honorable Director of Patents and Trademarks  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

The Patent and Trademark Office erred in issuing the above-identified patent,  
and a Certificate of Correction is therefore requested.

On March 16, 2004, the Applicant submitted to the Patent and Trademark Office  
a supplemental amendment, which was received by the Patent and Trademark Office  
on March 19, 2004. Then, on April 16, 2004, the Examiner telephoned the undersigned  
concerning that amendment, since an error occurred in claim 9. Inadvertently, the  
clause "any of claims 6 to 8" should have been presented in strikethrough, but was not,  
and therefore the claim read, at that time, "any of claims 6 to 8 claim 6", which made no  
sense. The Examiner, in an Examiner's Amendment attached to the Notice of  
Allowance, corrected that error.

However, all of the other amendments contained in claims 1, 2, 4, 6, 9, 10, 12,  
13, 15, 16, 17 and 19 were not effected when the patent issued, nor was new claim 20

included in the issued patent (although the Patent and Trademark Office gladly accepted the additional claim fee).


It is clear that the Patent and Trademark Office, in printing the patent, erred in not including the March 19, 2004 amendment, and a Certificate of Correction is therefore requested so that the claims are properly cast, including the changes set forth in the March 19, 2004 amendment.

Any questions should be directed to the undersigned.

As this error was clearly made by the Patent and Trademark Office, no fee is due.

June 17, 2005

Respectfully submitted,



William M. Lee, Jr.  
Registration No. 26,935  
Barnes & Thornburg  
P.O. Box 2786  
Chicago, Illinois 60690-2786  
(312) 214-4800  
(312) 759-5646 (Fax)

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,781,124

Page 1 of 5

APPLICATION NO.: 09/927,608

ISSUE DATE : August 24, 2004

INVENTOR(S) : Armin Heinz Hayn

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The claims are replaced by claim 1-19 attached:

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

Barnes & Thornburg  
P.O. Box 2786  
Chicago, Illinois 60606-2786

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

1. Apparatus for detecting charged particles, the apparatus comprising a chamber for receiving said particles and being such that, in use, at least a partial vacuum is maintained in the chamber; an impact responsive sensor for detecting particles incident thereon, at least the part of the sensor on which the particles are incident being situated in the chamber; an accelerating electrode for providing, in the chamber, an electric field for accelerating charged particles therein towards the sensor and an electrically conductive barrier sealing an inlet to the chamber to allow said partial vacuum to be maintained, the barrier means being sufficiently thin to enable the charged particles to be detected to travel therethrough, and being electrically isolated from the accelerating electrode so as to be capable of being maintained at a different potential from the latter.
2. Apparatus according to claim 1, in which the accelerating electrode comprises an electrically conductive member situated on or adjacent to the sensor, and a connector for connecting said member to an accelerating voltage.
3. Apparatus according to claim 1, in which the sensor comprises a scintillator for emitting light in response to the impact of a charged particle therewith.
4. Apparatus according to claim 3, in which the accelerating electrode comprises an electrically conductive member situated on or adjacent to the sensor, and a connector for connecting said member to an accelerating voltage, and in which the scintillator incorporates said accelerating electrode.
5. Apparatus according to claim 4, in which the sensor comprises an Everhart-Thornley detector.
6. Apparatus according to claim 1, in which the barrier comprises a membrane of metallic foil.
7. Apparatus according to claim 6, in which the foil is of aluminium.



8. Apparatus according to claim 7, in which the aluminium foil is of a thickness of 7.5nm.
9. Apparatus according to claim 6, in which the barrier further comprises a support which extends across said inlet behind the foil to support the latter against pressure exerted on the membrane by gas outside the chamber.
10. Apparatus according to claim 1, in which the apparatus further includes an electrically conductive cage mounted in front of, but electrically insulated from, the barrier, the cage being connectable to an accelerating voltage for drawing particles towards the barrier, the cage being so constructed as to allow the passage of particles therethrough.
11. Apparatus according to claim 1, in which the apparatus includes a pump connected to, and operable to evacuate, the chamber.
12. Apparatus according to claim 2, in which the apparatus includes a voltage source for applying a first accelerating voltage to said accelerating electrode and a second accelerating voltage of the same polarity as, but lower than, the first accelerating voltage, to the barrier.
13. Apparatus according to claim 12, in which the apparatus further includes an electrically conductive cage mounted in front of, but electrically insulated from, the barrier, the cage being connectable to an accelerating voltage for drawing particles towards the barrier means, the cage being so constructed as to allow the passage of particles therethrough, and in which the voltage source is also operable to apply to the cage a further voltage, of the same polarity as, but lower than, the second voltage.
14. Apparatus according to claim 10, in which the cage is part-spherical or ellipsoidal.

15. A scanning electron microscope having a sample chamber for holding a sample to be imaged in a gaseous environment, an electron beam generator for generating a scanning beam of electrons and directing said beam onto a sample in said sample chamber, wherein said chamber also contains a detector for detecting secondary electrons emitted by the sample, said detector comprising apparatus according to claim 1.
16. A microscope according to claim 15, in which the accelerating electrode comprises an electrically conductive member situated on or adjacent to the sensor, and a connector for connecting said member to an accelerating voltage, wherein the electrically conductive member and barrier means are connected to a voltage source for applying a voltage of +10 kV to the member and of 0 to +1 kV to the barrier means.
17. A method of detecting charged particles in a gaseous environment, the method comprising the steps of allowing or causing said particles to pass through an electrically conductive barrier at the inlet to a chamber in which at least part of an impact responsive sensor is situated; accelerating particles in the chamber towards the sensor, by means of an electric field in the chamber, while maintaining the chamber at a lower pressure than said environment and maintaining the barrier at a potential that at least reduces the intensity of electric field passing through the barrier and into the environment, wherein the barrier allows the passage of said particles whilst enabling the lower pressure to be maintained in the chamber.
18. A method according to claim 17, wherein the step of maintaining a lower pressure in the chamber is achieved by maintaining at least a partial vacuum in the chamber by means of a pump connected to an outlet of the chamber.

19. A method according to claim 17, further comprising the step of maintaining the barrier at a different potential from that of an accelerating electrode, for creating said electric field in the chamber.